

# QUARRY PROJECT OF

**V.MOIDEEN**

**(V.K.M STONE CRUSHER)**

SURVEY NO. : 103/2

EXTENT : 1.5195 hectares

VILLAGE : KANNAMANGALAM

TALUK : THIRURANGADI

DISTRICT : MALAPPURAM

STATE : KERALA

## **2ND COMPLIANCE REPORT**

Ref: EC. No: 27/2017 (File no: DEIAA/MAL/EC/029/2017) -

DATED: 01-12/2017

FOR THE PERIOD UP TO

**DECEMBER 2018**

To,

**The Member Secretary,  
DEIAA,  
Malappuram.**

**Respected Sir,**

**Sub: Environmental Clearance - Quarry project in survey No 103/2 of  
Kannamangalam Village, Thirurangadi Taluk, Malappuram District,  
Kerala. - Compliance report - Reg.**

**Ref: EC No: 27/2017 (File No. DEIAA/MAL/EC/029/2017) DT 01-12-2017**

---

My quarry project was accorded with environmental clearance No. : 27/2017  
(File No. DEIAA/MAL/EC/029/2017) dated 01-12-2017. The compliance report to  
the specific and general conditions of the Environmental Clearance is enclosed  
herewith.

Thanking you

Yours respectfully,



**V.Moideen**

(Managing partner & Authorized signatory)

Encl: As Above.

11.10.18

## TABLE OF CONTENTS

ITEM NUMBER	DESCRIPTION	PAGE NUMBER
I	<b>About The Proponent</b>	
II	<b>About The Project</b>	
	Project Category	
	Project Location	
	Project Extent And Activity	
	Project Description	
III	<b>Report Of Compliance</b>	
	Compliance Of Specific Conditions	
	Compliance Of General Health Conditions	
	Compliance Of General Conditions	
IV	a. Drilling	
	b. Blasting	
	c. Details of Environment Monitoring cell members	
	d. List of Trees in the quarry site	
V	<b>Plates</b>	
	Plate 1- Quarry site	
	Plate 2- Natural vegetation in the sides of approach road	
	Plate 3- Natural vegetation in the project area	
	Plate 4- Environmental clearance prominently displayed in a metallic board Benches in the project area	
	Plate 5- Benches in the project area	
	Plate 6- Fencing of the site with barbed wires	
	Plate 7- Top soil dump yard	
	Plate 8- Blasting time time board	

	Plate 9- Warning sign board	
VI	<b>Annexures</b>	
	Annexure 1 - Affidavit for eco-restoration	
	Annexure 2 - Explosive License	
	Annexure 3 - Pollution Certificate	
	Annexure 4 - Panchayath License	
	Annexure 5 - Affidavit for EC Conditions	
	Annexure 6 - Corporate Social Responsibility	

## **I. ABOUT THE PROPONENT**

Mr. V. Moideen, Managing partner & Authorized signatory of M/s V.K.M Stone Crusher, Cherur p.o, Kannamangalam, Vengara, Malappuram district.

District Environment Impact Assessment authority (DEIAA) Malappuram accorded Environmental Clearance No: 27/2017 (File no: DEIAA/MAL/EC/029/2017) dated: 01-12/2017 to the quarry project in Kannamangalam Village, Thirurangadi Taluk, Malappuram District, Kerala State managed by Mr. V. Moideen.

## **II. ABOUT THE PROJECT**

### **a. Project Category:**

The project comes under the Category B, Activity 1(a), (i) of Schedule of EIA Notification 2006 and subsequent amendments.

### **b. Project Location:**

Survey No. 103/2 in Kannamangalam Village, Thirurangadi Taluk, Malappuram District, Kerala.

The proposed project site falls within latitude and longitude value:

Latitude (N)	N 11°5'58.83" to N 11°06'2.75"
Longitude (E)	E 75°59'52.99" to E 75°59'59.16"

### **c. Project Extent And Activity:**

The project is for quarrying of 50,000 TPA of building stone from an area of 1.1595 hectares of land located as specified above.

### **d. Project Description:**

The project activity involves about 100 % of the pit area for exploring building stone. At the end of life of mine, excavated pit will be fully reclaimed and rehabilitated by plantation. The project does not involve any underground mining activities. The mining is done by open cast semi mechanized method. The expected life of mine is 12 years.

### III. REPORT OF COMPLIANCE

#### A. SPECIFIC CONDITIONS

ITEM NO	STIPULATIONS IN EC	STATUS OF COMPLIANCE	REMARKS
S-1	The overburden shall be properly stacked and it shall not in any way obstruct the valley adjacent to the property.	Yes, Scrupulously follows the directions contained..	
S-2	Evergreen type of plants (Tamarind, gooseberry, "vaka") should be planted around the quarry and in buffer zone and adjacent area so as to compensate the number of tree fell during mining operation.	Would be planted.	
S-3	Rainwater harvesting shall be practiced to reduce to groundwater consumption.	Would be provided	
S-4	CSR shall be spent at a rate of Rs.10 for production of very tonne of granite building stone in the quarry of the concerned local body, such as government institutions.	CSR activities are being implemented.	
S-5	Proper fencing shall be around the quarry area.	Scrupulously follows the directions contained.	PLATE 6
S-6	The overburden and soil removed from the quarry shall be properly stacked in the nearby area.	Yes, it is provided as per the conditions.	PLATE 7
S-7	Preventive measures shall be taken to control soil erosion.	Yes, it is provided.	
S-8	The trees cut and removed from the lease area shall be compensated during mine closure period.	The trees cut and removed from the lease area shall be compensated during mine closure period.	
S-9	Fast growing plants must be grown along the buffer zone.	Yes, it is provided.	
S-10	Proper distance shall always be kept from the valley to the mining area.	Yes, it is provided.	
S-11	The soil, overburden or tailing shall always dump away from the valley.	Yes, it is provided.	PLATE 7

S-12	Garland drain method shall be adopted to avoid pollution in the stream.	Would be provided.	
S-13	Fast growing and evergreen type of plants shall be grown along the buffer zone and its surroundings.	Yes, it is provided.	
S-14	There shall be provision for harvesting the total amount of rain water in the entire quarry area with sufficient storage facility.	Would be provided.	
S-15	Blasting shall be limited to two times daily.	Yes, it is provided.	PLATE 8
S-16	Controlled blasting techniques shall be adopted to avoid any danged from flying rocks to the nearby house.	Would be implemented.	
S-17	Mines manager shall be appointed to control, direct, manage and supervise the quarrying operations as required under the Mines Act,1952	It will be provided.	
S-18	A green belt shall be developed along with boundary of the lease area.	Yes, it is provided.	
S-19	Evergreen type of trees must be planted to reduce the consequences of dust originating from it.	It shall be ensured that the directions contained are scrupulously followed.	
S-20	Garland drain must be provided to control water pollution during rainy seasons.	Would be provided.	
S-21	Health and welfare measures for the persons employed shall be implemented.	Health and welfare measures for the persons employed are being implemented.	
S-22	Controlled blasting should be practiced and blasting shall be done only during day time.	Controlled blasting practiced and blasting is done only during day time.	
S-23	The mitigative measures for control of ground vibrations to arrest the fly rocks and boulders should be implemented.	The mitigative measures for control of ground vibrations to arrest the fly rocks and boulders are implemented.	
S-24	Plantation shall be done which includes a green belt of adequate width around the mining lease area excluding the rocky area, along roads, overburden dumps and non mineralized area by planting suitable	Activities are being implemented.	

	native species in consultation with the local DFO/Agriculture Department.		
S-25	The drains should be regularly de-silted and maintained properly. Check dam and gully checks shall be constructed wherever required to arrest siltation. De-siltation shall also be done every year before the onset of monsoon.	Would be provided.	
S-26	Fencing must be maintained properly all around the lease area.	Fencing is maintained properly all around the lease area.	PLATE 6
S-27	Appropriate sign boards should be displayed. Alternative road must be constructed.	Appropriate sign boards are displayed.	PLATE 9
S-28	The blasting time must be displayed and strictly adhered to.	The blasting time is displayed and strictly adhered to.	PLATE 8
S-29	Dust suppression mechanism must be in place.	It is ensured.	
S-30	A separate small plot to be maintained in the premise to preserve rare and endemic species, if any, listed in the biodiversity assessment etc.	It is provided.	
S-31	The PPV values must be less than 10mm/sec.	It shall be ensured.	
S-32	Where the height of the bench formed during earlier workings exceeds the maximum reach of the excavator engaged for work, such bench height shall be reduced from top to bottom.	Scrupulously follows the directions contained.	PLATE 5
S-33	Loose or hanging rock or mineral boulder on the side wall is dressed down before engaging persons for work at the bottom of the bench.	It is ensured that all the loose or hanging rock or mineral boulder on the side wall be dressed down	
S-34	Permanent boundary pillars should be fixed by the proponent before commencing quarrying	Would be provided.	
S-35	The proponent should submit cluster certificate before commencing quarrying activities.	Would be provided.	



## B. GENERAL CONDITIONS OF HEALTH

1	First Aid Kit provided in the work site. It shall be periodically maintained properly. Some laborers shall be trained on First Aid.	Scrupulously follows the directions contained.	
2	Wholesome drinking water should be provided.	Drinking water is provided.	
3	Premises should be maintained as wet suppress the dust.	Scrupulously follows the directions contained.	
4	Sanitary type of latrines and urinals should be provided.	Latrines and urinals are provided.	
5	Resting place should be provided for workers.	Resting place is provided for workers.	
6	'No Smoking' board should be exhibited according to COTPA Act	'No Smoking' boards are placed.	
7	Work should not be done in night.	No works in night.	
8	Details of nearest hospital, Shortest route to hospital and contact no. etc should be available.	Details of nearest hospital, Shortest route to hospital and contact no. etc. are displayed.	
9	Approach roads should be maintained properly and it should be paved with laterite / granite rubbles in order to increase infiltration of rain water to the ground.	Scrupulously follows the directions contained.	

## C. GENERAL CONDITIONS

Item No	Stipulations in EC	Status of Compliance	Remarks
G-1	Rain Water Harvesting facility should be installed as per the prevailing provisions of KMBR/KPBR, unless otherwise specified.	Would be provided.	
G-2	Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.	An Environment Monitoring Cell is constituted and made functional.	ANNEXURE I
G-3	Suitable avenue trees should be planted along either side of tarred road and open parking areas, if any, inclusive of approach road and internal roads.	Avenue trees by way of natural vegetation are present along either side of the tarred road, both approach road and internal road.	PLATE-2
G-4	Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.	Would be provided.	
G-5	Sprinklers shall be installed and used in the project site to contain dust emissions.	Sprinklers are used in the project site to contain dust emissions.	
G-6	Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.	It is assured that eco-restoration including the mine closure plan will be done at the own cost of the project proponent.	ANNEXURE 2
G-7	At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly. If, no other specific condition on reclamation of pit is stipulated in the E.C	At the time of the closure of the mine, it shall be ensured that the directions contained are scrupulously followed.	
G-8	Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented.	Activities towards Corporate Social Responsibility are being implemented.	ANNEXURE 5
G-9	The lease area shall be fenced off with barbed wires to a minimum height of 4ft around, before starting of mining. All the boundary indicators (boards, stores, markings, etc.) shall be protected at all times and shall be conspicuous.	Scrupulously follows the directions contained.	PLATE-6
G-10	Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per Stipulations of Explosive Department.	Warning alarms will be installed in the project site.	
G-11	Control measures on noise and vibration	Control measures on noise and	

	prescribed by KSPCB should be implemented.	vibration is as per KSPCB	
G-12	Quarrying activities should be limited to day time as per KSPCB guidelines.	Quarrying activities is limited as per KSPCB guidelines.	
G-13	Blasting should be done in a controlled manner as specified by the regulation of explosives Department or any other concerned agency.	Scrupulously follows the directions contained.	ANNEXURE 2
G-14	A licensed person should supervise/control the blasting operations.	Scrupulously follows the directions contained.	
G-15	Access roads to quarry shall be tarred to contain dust emissions that may arise during transportation of materials.	Scrupulously follows the directions contained.	
G-16	Overburden materials should be managed within the site and used for reclamation of mine pit as per mine closure plan/ specific conditions.	Overburden is stacked in pre-determined site specified for the purpose.	
G-17	Height of benches should not exceed 5 m and width should not be less than 5 m if there is no mention is the mining plan/specific conditions.	Height of the benches is maintained at 5 x 5 m.	PLATE-4
G-18	Mats to reduce fly rock blast to a maximum of 10 PPV should be provided.	Would be provided.	
G-19	Maximum depth of mining from general ground level at site shall not exceed 10m.	Scrupulously follows	
G-20	Non mining operations should be carried out at places having a slope greater than 45°.	Scrupulously follows the directions contained.	
G-21	Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.	Would be complained.	
G-22	The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.	The workers on the site is provided with the required protective equipment such as ear muffs, helmet, etc	
G-23	Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.	Would be provided.	
G-24	The transportation of minerals should be done in covered trucks to contain dust emissions.	Scrupulously follows the directions contained.	
G-25	The proponent should plant trees at least 5 times of the loss that has been occurred	Would be complained.	

	while clearing the land for the project.		
G-26	Disposal of spent oil from diesel engines should be as specified under relevant Rules/Regulations.	Scrupulously follows the directions contained.	
G-27	Explosives should be stored in magazines in isolated place specified and approved by Explosive Department.	Scrupulously follows the directions contained.	
G-28	A Minimum buffer distance of 100 m from the boundary of the quarry to the nearest dwelling unit or other structure not being any facility for mining shall be provided .	Scrupulously follows the directions contained	PLATE-7
G-29	100 m buffer distance should be maintained from forest boundaries.	Scrupulously follows the directions contained.	
G-30	Consent from Kerala State Pollution, Control Board under Water and Air (Acts) should have been obtained before initiating mining activity.	Scrupulously follows the directions contained.	ANNEXURE 3
G-31	All other statutory clearances should be obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.	Scrupulously follows the directions contained.	
G-32	In the case of any change(s) in the scope of the project, extent quantity, process of mining technology involved or in any way affecting the environmental parameters/ impacts as assessed, based on which only the EC is issued. The projects would require a fresh appraisal by this authority, for which the proponent shall apply and get the approval of this Authority.	Scrupulously follows	
G-33	The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act,1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	All the safeguard measures are done as per Environment (Protection) Act, 1986.	
G-34	The stipulations by Statutory Authorities under different Acts and Notifications should be complied with including the provisions of Water(Prevention and Control of Pollution)Act, 1974, the Air (Prevention and control of Pollution)		

	act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.	Scrupulously follows the directions contained.	
G-35	The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Environment Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at <a href="http://www.seiaakerala.org">www.seiaakerala.org</a> . The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation	Advertised in local newspaper and submitted a copy of it as a proof in first compliance report.	
G-36	A copy of the clearance letter shall be sent by the proponent to concerned Grama Panchayat/District Panchayat/ Municipality/ Corporation/ Urban Local Body and also to the Local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The Environmental clearance shall also be put on the website of the company by the proponent.	Scrupulously follows the directions contained.	ANNEXURE 5
G-37	The proponent shall submit half yearly reports on the status of compliance of the stipulated EC Conditions including results of monitored data (both in hard copies as well as by email) and upload the Status of compliance of the stipulated EC conditions, including results of monitored data on their website. It shall simultaneously be Sent to the respective Regional office of MoEF, Govt. of India and also to the State Environment Impact Assessment Authority (SEIAA) Office	Conditions are being complied with. This report is in compliance with submission of six monthly compliance reports.	
G-38	The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times		

	New Roman font of size of not less than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public.	The conditions of Environmental Clearance are prominently displayed in a metallic board.	PLATE -4
G-39	The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.	The proponent has provided notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC have been scrupulously followed.	ANNEXURE 4
G-40	No change in mining technology and scope of working should be made without prior approval of the SEIAA, No further expansion or modifications in the mine shall be carried out without prior approval of the SEIAA, as applicable.	Scrupulously follows the directions contained	
G-41	The project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.	Ensured that no natural water course and/or water resources were obstructed due to any mining operations.	
G-42	Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board. Water sprinkling should be increased at places loading and unloading points & transfer point to reduce fugitive emissions.	Scrupulously follows the directions contained as per the conditions.	
G-43	The top soil, if any, shall temporarily be stored at earmarked site(s) only for the topsoil shall be used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dumpsite(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of dumps shall be maintained to 45°. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface runoff. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. The entire excavated area shall be backfilled. Monitoring and management of		

	rehabilitated areas should continue until the vegetation becomes self-sustaining.	Scrupulously follows the directions contained as per the conditions.	PLATE -7
G-44	Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly in to the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green development etc. The drains shall be regularly de silted particularly after monsoon and maintained properly.	Scrupulously follows the directions contained.	
G-45	Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM10 and PM2.5 such as haul road, loading and unloading points and transfer points-it shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.	Scrupulously follows the directions contained and ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.	
G-46	Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained	Scrupulously follows the directions contained.	
G-47	Measures should be taken for control of noise levels below 85dBA in the work environment.	Measures have been taken for the control of noise levels below 85DbA in the work environment.	
G-48	A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.	A separate environmental management cell with suitable qualified personnel has been set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.	INDEX 4 C
G-49	The funds earmarked for environmental protection measures and CSR activities should be kept in separate account and should not be diverted for other purposes. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office.	The funds earmarked for environmental protection measures and CSR activities are being kept in separate account and have not been diverted for other purposes. Year wise expenditure will be reported to the State Environment Impact Assessment Authority (SEIAA) office.	ANNEXURE 5
G-50	The Regional office of MOEF &CC located	The Regional office of MOEF &CC	


	at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer(S) of the Regional Office by furnishing the requisite data/information/monitoring reports.	located at Bangalore will monitor compliance of the stipulated conditions. The project authorities will extend full cooperation to the officer(S) of the Regional Office by furnishing the requisite data/information/ monitoring reports.	
G-51	Any appeal against this Environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under section 16 of the National Green Tribunal Act , 2010.	Strictly follow the rules and Scrupulously follows the directions contained.	
G-52	Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986	Strictly follow the rules, if any factual data is concealed or false/fabricated data is submitted and failure to comply with any of the conditions mentioned above is found.	
G-53	The SEIAA may revoke or suspend the order, for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environment protection.	SEIAA can revoke any order if any of the specific or this implementation of any of the above conditions is not satisfactory.	
G-54	The above conditions shall prevail not withstanding anything to the contrary, in consistent, or simplified, contained in any other permit, license on consent given by any other authority for the same project.	Yes, all the above conditions shall prevail not withstanding anything to the contrary, in consistent, or simplified, contained in any other permit, license on consent given by any other authority for the same project.	
G-55	This order is valid for a period of 5 years or the expiry date of mine lease period issued by the Government of Kerala, whichever is earlier.	Yes, this order is valid for a period of 5 years or the expiry date of mine lease period issued by the Government of Kerala, whichever is earlier.	
G-56	The Environmental Clearance will be subject to the final order of the courts in any pending litigation related to the land or project, in any court of law.	Yes, the Environmental Clearance is subjected to the final order of the courts in any pending litigation related to the land or project, in any court of law.	
G-57	The mining operation shall be restricted to above ground water table and it should not intersect ground water table.	The mining operation has been restricted to above ground water table and it will not intersect	



		ground water table.	
G-58	All vehicles used for transportation and within the mines shall have 'PUC' certificate from authorized pollution taking center. Washing of all vehicles shall be inside the lease area.	Scrupulously follows the directions contained.	
G-59	Project proponent should obtain necessary prior permission of the competent authorities for drawal of requisite quantity of surface water and ground water for the project.	Scrupulously follows the directions contained.	
G-60	Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six monthly reports to SEIAA.	Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area will be carried out and reported in the six monthly reports to SEIAA .	
G-61	Occupational health surveillance program of the workers should be under taken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Occupational health surveillance program of the workers will be done periodically to observe any contractions due to exposure to dust and corrective measures will be taken, if needed.	

## IV.a. DRILLING

The excavation of mineral is proposed by excavators. The mineral is fractured and easily exploitable by rock breakers and excavators. The hard strata are proposed to excavate after drilling and blasting. The cross-sectional view of drilling operations is shown below:-



### Salient features of drilling

- About 30 to 50 holes per blast of 32 mm dia and to a depth of 2 to 2.5m will be adopted.
- It is estimated about 2 to 3 T production per hole.
- Number of blasts per day depends upon the workable area and production to be achieved.
- The spacing of 1.0 to 1.5m between the holes will be adopted.
- About 250g per hole of explosive will be used. However, 10 kg/blast will be adopted at any point of time.
- Millisecond electric blasting will be adopted to limit the PPV and Noise levels within the stipulated standards.

## **IV.b. BLASTING**

The controlled blasting is proposed by adopting all the safety measures as per “MMR 1961” and with the permission of DGMS.

In this area for fragmentation of granite the blasting will be conducted. Multiple blast holes of 1.0 to 1.5 m depth will be drilled with the help of 32 mm drill rod, Jack Hammer and Air Compressor of 100 cfm capacity.

It is estimated about 250 g of explosives per hole is required. About 30 – 50 holes per blast are proposed. Therefore, the requirement of explosives will be about 10 kg/ blast.

### **2.6.6.1 BLASTING SAFEGUARD**

- Blasting in the open cast pits will be done only during day time at designated hours.
- Only competent blasters will be appointed to handle explosive.
- Explosives will be stored in approved and licensed magazine as per Explosive Act/ Rules.
- Explosives will be brought from magazine to blasting site in licensed Explosive Van under the care of blaster.
- Sufficient warning signals will be given before blasting the holes.
- Guards will be posted on all roads and paths at least 250 m distance to stop entrance to the danger zone during blasting hour.
- Controlled blasting will be practiced to control vibrations and flying fragments.
- Optimum charge will be used, while blasting near office complex/ infrastructure site.
- Maximum charge per delay will always be less than 10kg to limit the PPV levels within the DGMS standards of 15 mm/sec.

#### **IV.c. DETAILS OF ENVIRONMENTAL MONITORING CELL**

An environmental monitoring cell was formed with Mr. V. Moideen head of the monitoring cell and made functional. Meeting of monitoring cell is arranged monthly and discuss the status of the compliance of the specific and general conditions contained in the Environmental clearance order. The details of the monitoring cell members are given below:-

<b>Sl. No.</b>	<b>Post</b>	<b>Name</b>
1	Head of the monitoring cell	V. Moideen (Managing partner & Authorized signatory)
2	Head in charge (Environment)	Mr. Aboobacker
3	Senior Environmental Officer	Mr. Ummer
4	Environmental Officer	Mr. Hasainar
5	Name of the environmental officer in charge	Mr. Said alavi
6	Name of the officer Environment, Health and safety	Mr. Safeer Ali
7	Name of the Assistant Officer of Environment, Health and safety	Mr. Hasainar
8	Name of the environmental consultant	GEC Mining Solutions

#### **IV.d. LIST OF TREES IN THE QUARRY SITE**

Natural vegetation including trees, shrubs and herbs present in the quarry site are mentioned in the table below:-

<b>Sl No.</b>	<b>Scientific Name</b>	<b>Common Name</b>	<b>Family</b>
1	<i>Macaranga peltata</i>	Vatta	Euphorbiaceae
2	<i>Cocus Nucifera</i>	Coconut Tree	Arecaceae
3	<i>Gliricidia sepium</i>	Seemakkonna	Fabaceae

## V. PLATES

### Plate -1

Quarry site



**Plate -2**

Photographs showing natural vegetation in the approach sides of roads



**Plate -3**

Photographs showing natural vegetation in the project area





**Plate -4**

Photograph showing details of the environmental clearance prominently displayed in a metallic board



**Plate -5**

Benches in the project Area



**Plate -6**

Fencing with barbed Wires



**Plate -7**

Top soil dump yard



**Plate -8**

**Blasting Time Displayed Board**




**Plate -8**

Warning Sign Board



**ANNEXURE 1**

**AFFIDAVIT FOR ECO-  
RESTORATION**



കേരളം കേരल KERALA


BW 452720

In Kerala Stamp Paper with Notary Attested (Rs. 200)

AFFIDAVIT


I, Mr. V.Moideen, Managing Partner & Authorized signatory of V.K.M Stone Crusher having correspondence office at Cherur(p.o), Kannamangalam, Vengara, Malappuram district, Kerala, do hereby affirm and confirm as follows:-

1. That, my quarry project is situated at survey No 103/2 of Kannamangalam Village, Thirurangadi Taluk, Malappuram District, Kerala, 676508.



V. Moideen

17561  
 11-10-18  
 100/2  
 കിഴക്കൻ മലപ്പുറം  
 തിരുരണ്ടി  
 V. മൗദീൻ  
 Radhman







BW 452721

കേരളം KERALA

2. That, the eco-restoration including the mine closure plan will be done at my expenses.

DEPONENT

V.M. [Signature]

Verification:

Verified that my above statements are true to the best of my knowledge and belief and no material has been concealed therein.

NOTARIAL REGISTER  
 Vol No... 5... Page No... 60...  
 SI No. 1259 Date 11.10.2018

DEPONENT

V.M. [Signature]

Place: Malappuram

Date: 11/10/2018


Solemnly affirmed and  
 Signed before Me  
 the 11th October 2018

നമ്പർ ..... 17563  
 തീയതി ..... 11-10-18  
 വില ..... 100/-  
 രാജ്യം ..... കേരളം  
 സ്ഥലം ..... മലപ്പുറം  
 പേര് ..... V. മധുരൻ  
 ഏ. നമ്പർ .....  
 ഏ. വക. രാജധാനി



WMMR  
 M. M. MURKUTTY, K.  
 Advocats. Roll No: K/66280

Dist. NOTARY, MALAPPURAM  
 Govt. of India, Reg. No: 6364  
 Malappuram



**ANNEXURE 2**  
**EXPLOSIVE LICENSE**



GOVERNMENT OF INDIA  
 MINISTRY OF COMMERCE & INDUSTRY  
 PETROLEUM AND EXPLOSIVES SAFETY ORGANISATION (PESO)  
 (Formerly Department of Explosives)  
 No.140, Rukmini Laxmipati Road,  
 Marshalls Road, Egmore, Chennai 600008  
 Tele: 28514848 Fax: 28514848  
 Email: jtccechennai@explosives.gov.in

No: E/SC/KL/22/301(E11744)

To,  
 SRI.V.MOIDEEN,  
 V.K.M.STONE CRUSHER, P.O. CHEPUR, KONDOTTY, KANNAMANGALAM, MALAPPURAM DISTRICT, KERALA.  
 Distt. MALAPPURAM, State. Kerala, Pincode-673638

Dated : 23/01/2014

Subject: Possession for Use of Explosives from magazine at Survey No(s):103/2, Village/Town. KANNAMANGALAM (V), THIRUVANGADI TK., Distt. MALAPPURAM, State Kerala Licence No.: E/SC/KL/22/301(E11744) granted in Form LE-3 of Explosives Rules, 2008 - Renewal regarding

Sir(s),

Reference to your letter No.: nil dated: 23/01/2014, the subject licence duly renewed upto 31/3/2019 and issued in Form LE-3 of Explosives Rules, 2008 is forwarded herewith.

For further renewal of licence, please submit the following documents so as to reach The Dy. Chief Controller of Explosives, Kochi on or before 31/3/2019

- Application in Form RE-1 duly filled in and signed.
- Licence fees for one to five years in the form of demand draft drawn on any Nationalized Bank in favour of **Jt. Chief Controller of Explosives, Chennai** payable at **Chennai**.
- Original licence with approved plan.
- In this connection, please also refer to Rule 112 of Explosives Rules, 2008.

- Indent for purchase of explosives shall be placed in RE-11 with the supplier and copy of the same shall be sent to this office.(Not applicable for fireworks store house)
- Please submit quarterly returns of explosives in RE-7 at the end of every quarter so as to reach The Dy. Chief Controller of Explosives, Kochi by 10th of the succeeding quarter.(Not applicable for fireworks store house)
- All blasting operations shall be carried out by a competent person holding a valid shot firer's permit granted under above rules. However, blasting operations in mines coming under the purview of the Mines Act 1952, the blaster shall have qualifications prescribed in the regulations framed under the said Act.

**Enclosures :**

Copy Forwarded to:

1. District Magistrate, MALAPPURAM (Kerala) for information.

Yours faithfully,

(K Sundaresan)  
 Controller of Explosives  
 For Joint Chief Controller of Explosives  
 South Circle, Chennai

For Joint Chief Controller of Explosives  
 South Circle, Chennai

[For more information regarding status, fees and other details, please visit our web site <http://peso.gov.in>]

## LICENCE FORM LE-3

(See article 3(a) to (d) of Part I of Schedule IV of Explosives Rules, 2008)

Licence to possess : (c) for use, explosives of class 1, 2,3,4,5,6 or 7 in a magazine

Licence No. : E/SC/KL/22/301(E11744)  
Annual Fee Rs:2000/-

1. Licence is hereby granted to : **SRI.V.MOIDEEN (Occupier : V MOIDEEN)**  
**V.K.M.STONE CRUSHER, P.O. CHEPUR, KONDOTTY, KANNAMANGALAM,**  
**MALAPPURAM DISTRICT, KERALA., Town/Village - Chepur**  
**District-MALAPPURAM, State-Kerala, Pincode - 673638**
2. Status of licensee : **Individual**
3. Licence is valid only for the following purpose : possess for use of **Nitrate Mixture, Safety Fuse, Detonators,**
4. (a) Licence is valid for the following kinds and quantity of explosives:

Sr. No.	Name and Description	Class & Division	Sub-division (If any)	Quantity at any one time
1.	Nitrate Mixture	2,0	0	75 Kg.
2.	Safety Fuse	6,1	0	1500 Mtrs
3.	Detonators	6,3	0	1000 Nos.

(b) Quantity of explosives to be purchased in a calendar month [applicable for licence under article 3(b) and (c)] : **20 times as above.**

5. The licensed premises shall conform to the following drawing(s):  
**Drawing No : E/SC/KL/22/301(E11744) dated : 01/02/2002**
6. The licensed premises are situated at following address:  
**Survey No(s). 103/2 , Town/Village : KANNAMANGALAM (V), THIRUVANGADI TK.**  
**Police Station : VEVGARA District : MALAPPURAM State : Kerala**  
**PinCode : Phone : E-Mail : Fax :**
7. The licensed premises consist of following facilities : **TWO MINI EXPLOSIVE MAGZINE.**
8. The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.  
(1) Drawings (showing site, constructional and other details) as stated in serial No. 5 above.  
(2) Conditions and Additional Conditions of this licence signed by the licensing authority.  
(3) Distance Form DE-2
9. This licence shall remain valid till **31st day of March 2003**

This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

The Date: 01/02/2002

Sd/  
**Joint Chief Controller of Explosives**  
**South Circle, Chennai**

**Amendments :**

- Amendment in Drawings/Facilities/Premises dated : 22/01/2014
- Amendment in Drawings/Facilities/Premises dated : 22/01/2014

Endorsement for renewal of licence:

Date of Renewal	Date of Expiry	Signature of licensing authority
23/01/2014	31/03/2019	Jt. Chief Controller of Explosives, South Circle, Chennai

**Statutory Warning : Mishandling and misuse of explosives shall constitute serious criminal offence under the law.**

## (Set VIII)

The following are the conditions of licence number E/SC/KL/22/301(E11744) to possess for sale or use, explosives of Class 1,2,3, 4, 5, 6 and 7 in a magazine in Form LE-3 (articles 3(b) to (c) ) granted by Chief controller of Explosives or Controller of Explosives.

1. The quantity of explosives on the premises at any one time shall not exceed the licensable capacity.
2. The magazine used for storage of explosives shall maintain safety distance specified in Schedule III and annexure to the licence.
3. The magazine shall be used only for keeping all explosives specified in this licence and of receptacles for, or tools or implements for work connected with the keeping of such explosives.
4. The opening of packages and the weighting and packing of explosives shall not be carried on in the magazine.
5. Two or more description of explosives which may be permitted to be kept in the magazine shall be kept only if they are separated from each other by an intervening partition of such substance or character, or by such intervening space, as will effectually prevent explosion or fire in the one communicating with the other; Provided that—  
(d) the various explosives of Class 2 (nitrate-mixture), Class 3 (nitro-compound), safety fuses belonging to Class 6 Division 1 and detonating fuses belonging to Class 6 Division 2 as do not contain any exposed iron or steel, may be kept with each other without any intervening partition or space.  
(e) Detonators belonging to Class 6 Division 3 shall be kept separately.  
(f) Gun powder belonging to Class 1 shall be kept separately.
6. Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of licensing authority.
7. Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of the Controller of Explosives.  
(i) When such sanction has been given, a written certificate showing the period covered by the sanction shall be obtained from the Controller of Explosives at each inspection, and shall be kept by the licensee and produced on demand.  
(ii) When an explosive owing to its being no longer of standard purity or owing to signs of liquefaction or of exuded nitro-glycerin or liquid nitro-glycerin or liquid nitrocompound is no longer fit for storage in the magazine or store house the licensee shall comply, at his own expense, with such directions as to its disposal as the Chief Controller or Controller of Explosives may issue.
8. The interior of the magazine and the benches, shelves and fittings therein shall be so constructed or so lined or covered as to prevent the exposure of any iron or steel contact with the explosives. Such interior, benches, shelves and fittings shall so far as is reasonably practicable, be kept free from grit and shall otherwise be clean; and in the case of any explosives liable to be dangerously affected by water, due precautions shall be taken to exclude water there from.  
Provided that so much of this condition as relates to precautions against the exposure of any iron or steel shall not be obligatory in a building in which no explosive other than explosive of the 1st Division 6th (Ammunition) Class is kept.
9. If the lightning conductor is tested by the Controller of Explosives, the licensee shall pay the fees prescribed for test. In the even of the test proving unsatisfactory, the same fees shall be payable by the licensee for each subsequent test until the lightning conductor is passed by the testing officer as satisfactory.  
Provided that the fees payable for a single test shall be charged for all tests made on a conductor during any one day.  
  
Provided further that where two or more lightning conductors are attached to one and the same magazine, the fee for the testing of all such conductors shall not exceed the fee prescribed in this condition for testing a single lightning conductor.
10. Due provisions shall be made, by the use of suitable working clothes without pockets, suitable shoes and by searching or otherwise or by such means, for preventing the introduction into danger area of the factory premises of fire, Lucifer matches or any substance or article likely to cause explosion or fire, but this condition shall not prevent the introduction of an artificial light of such construction, position or character as not to cause any danger of fire or explosion.  
Provided that so much of this condition as applies to the exclusion of iron or steel, shall not be obligatory in a building in which no explosive other than an explosive of the 1st Division of the 6th (Ammunition) Class is kept.
11. The licensee shall keep records and accounts of all explosives in Forms RE-3 and RE-4 or RE-5, as the case may be, and exhibit the stock books and records to any of the officers authorised under the Explosives Rules, 2008 whenever such officer may call upon him to do so. The stock books in the prescribed proforma shall be page numbered.
12. No changes or alterations shall be carried out to the premises without prior approval of the licensing authority and the licensee shall comply with any condition that may be specified by the licensing authority in this behalf.
13. Magazine shall at all times be kept in state of good repair (or maintained in good condition). The licensee shall report to licensing authority forthwith, if the magazine becomes unfit for storage of any explosives for any reason whatsoever.
14. The licensee of the magazine shall submit quarterly return as per sub-rules (3) and (4) of rule 24 of these rules.
15. Any encroachment of the safety distance shall be immediately communicated to the licensing authority for necessary advice and action.
16. The licensing authority shall be immediately informed for advice if any explosive is found deteriorated or unserviceable.
17. The explosive packages shall be stocked in such a way so as to allow movement of at least one person to check the condition of all packages stored and to read the manufacture particulars of each package.  
The resistance of the lightning conductor to earth shall be as low as possible and in no case be more than 10 ohms.
18. The resistance of the lightning conductor to earth shall be as low as possible and in no case be more than 10 ohms.
19. A distance of 15 meters surrounding the magazine or store house shall be kept clear of dried grass or bush or flammable materials.
20. Every package of explosive at the time of bringing inside the magazine shall be examined for its sound condition.
21. Not more than 4 persons shall be allowed inside the magazine or store house at any one time.
22. Empty packages of the explosives shall be removed at the earliest and destroyed.
23. The licensee and the employee shall be conversant with procedure to be taken during the emergency within the premises.
24. Free access to the licensed premises shall be given at all reasonable times to any inspecting or sampling officer and every facility shall be afforded to the officer for ascertaining that the provisions of the Act and these rules and the safety conditions are duly observed.
25. If the licensing authority or a Controller of Explosives informs in writing, the holder of the licence to execute any repairs or to make any additions or alterations to the licensed premises or machinery, tools or apparatus or carry out recommendations, which are in the opinion of such authority may pose unacceptable risk and so necessary for the safety of either on-site or off-site of the premises or persons, the holder of the license shall execute the recommendations and report compliance within the period specified by such authority.
26. The licensee shall purchase authorised explosives/ fireworks or safety fuse as mentioned in the list authorised explosives from a licensed factory or company for possession and sale from the magazine.
27. The possession and sale of fire-crackers generating noise level exceeding;  
a) 125 dB(A) or 145 dB(C)pk at 4 meters distance from the point of bursting shall be prohibited,  
b) For individual fire-cracker constituting the series (joined fire-crackers), the above mentioned limit be reduced by 5 log<sub>10</sub> (N) dB, where N = number of crackers joined together.
28. Accidents by fire or explosion and losses, shortage or theft of explosives shall be immediately reported to the nearest police station and the licensing authority and local office of the licensing authority.

  
For Joint Chief Controller of Explosives  
South Circle, Chennai

**ANNEXURE 3**  
**POLLUTION**  
**CERTIFICATE**

**FILE NO : 6293214**

**Date of issue : 18/12/2017**



**KERALA STATE POLLUTION CONTROL BOARD**

**CONSENT TO**

**OPERATE/AUTHORISATION/REGISTRATION**

**ISSUED UNDER**

The Water (Prevention & Control of Pollution) Act, 1974

The Air (Prevention & Control of Pollution) Act, 1981

and

The Environment (Protection) Act, 1986

**As per Application No. :6293214**

**Dated:16-12-2017**

**TO**

**M/s QUARRY OF V.K.M STONE CRUSHER**

**Kannamangalam , Cherur, Vengara**

**Consent No. :PCB/CO/EXP/159/17**

**Valid Upto :30/11/2022**

## 1. GENERAL

1.1. This integrated consent is granted subject to the power of the Board to withdraw consent, review and make variation in or revoke all or any of the conditions as the Board deems fit.

1	<b>VALIDITY</b>	30/11/2022
2	Name and Address of the establishment	QUARRY OF V.K.M STONE CRUSHER KANNAMANGALAM, CHERUR, VENGARA 676508
3	Communication	Telephone :-9526600900 Fax :- E-mail:alimonvkm@gmail.com
4	Occupier Details	V. Moideen Veerseri, Chullipara P.O, Valakkulam, Malappuram
5	Local Body	Kannamangalam Grama Panchayat
6	Survey Number	103/2
7	Village	Kannamangalam
8	Taluk	THIRURANGADI
9	District	MALAPPURAM
10	Capital Investment(Rs in Lakhs)	45.0/-
11	Scale	Small
12	Category	RED
13	Annual fee(Rs)	9600/-
	Total Fee remitted(Rs)	50400/-
14	<b>RAW MATERIAL</b>	<b>PRODUCTS</b>
	GRANITE BUILDING STONE @150 Metric Tonnes/DAY	BLASTED RUBBLES @150 Metric Tonnes/DAY (Quarrying in 1.5195 hectares of land in survey no. 103/2 of KANNAMANGALAM Village, THIRURANGADI Taluk, MALAPPURAM Dist)
15	Total Power Required (HP)	NIL

## 2. CONDITIONS AS PER

### The Water(Prevention and Control of Pollution)Act, 1974

- 2.1 In case of generation of trade effluent from the industry, effluent treatment system consisting of treatment units having adequate capacity established as per the Integrated Consent to Establish issued shall be operational at all times during which the industry is functional. Additional facilities required, if any, to achieve the standards laid down by the Board u/s 17(1) (g) of the Water Act shall also be made along with.



- 2.2 Water consumption: NIL  
 2.3 Effluent generation: -  
 2.4 The characteristics of effluent after treatment shall confirm to the following tolerance limits:

Sl.NO.	Characteristics	Unit	Tolerance Limit	
			Sewage	Trade Effluent

- 2.5 Mode of disposal of treated effluent: -

### 3. CONDITIONS AS PER

#### The Air(Prevention and Control of Pollution)Act, 1981

- 3.1 Adequate air pollution control measures shall be operational at all times during the functioning of the industry. Additional facilities required, if any, to achieve the standards laid down by the Board shall also be made along with.

Stack No.	Sources of Emission	Emission Rate(Nm3/Hr)	Stack Height above		Control Equipment
			Ground Level	Roof Level	

- 3.2 Emission characteristics shall not exceed the following:

Sl.No.	Parameter	Limiting Standards (mg/Nm3)

### 4. CONDITIONS AS PER

#### The Environment (Protection) Act, 1986.

- 4.1 The operation of the industry shall be strictly in compliance with the provisions of the Noise Pollution (Regulation and Control) Rules 2000.  
 4.2 Used lead acid batteries shall be disposed of as per the Batteries (Management and Handling) Rules, 2001  
 4.3 Hazardous waste generated, if any, shall be handled as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.  
 4.3.1 Activities for which Authorisation is granted

Collection	transport
Reception	Storage
Treatment	Reprocessing/Disposal

- 4.3.2 Type, quantity and mode of storage/collection/disposal of hazardous wastes shall be as follows:

Sl.No.	Hazardous Waste	Schedule Category	Quantity Tonne/year
Mode of			
Storage		Disposal	

4.4 E-waste shall be disposed off safely as per the E-Waste (Management) Rules, 2016.

## 5. SPECIFIC CONDITIONS

5.1. The location of the Quarry shall be as per the approved drawing attached.

5.2. The PM 2.5 in ambient air at the boundary shall not exceed 60 microgram/m<sup>3</sup>

5.3. For renewal of the consent in case of continuance of discharge/operation of the industry, application in the prescribed form shall be submitted through the web portal of the Board fo Online Consent Management & Monitoring System 3 months before the end of validity period. Late application will be accepted only with a fine /late fee as applicable.

5.4. Boundary shall be fenced before operation of quarrying activities.

5.5. The concentration of PM10 at the boundary shall not exceed 100 microgram/m<sup>3</sup>.

5.6. After extraction at the site is completed, the land may be used for rain water harvesting with protective barriers/any other suitable approved purpose or may be reclaimed.

5.7. The applicant shall comply with the instructions that the Board may issue from time to time regarding the prevention and control of air, water, land and sound pollution.

5.8. No change or alteration of the quarrying area is to be made without the prior written permission of the Board. Any change in the particulars furnished and/or in the identity of the occupier/authorized agent is to be intimated to the Board forthwith.

5.9. The ambient air quality measured at 1 m outside the boundary of the premises shall not exceed the ambient air quality applicable to the adjoining area.

5.10. The sound level measured at 1 m outside the boundary of the premises shall not exceed the ambient sound level applicable to the adjoining area.

5.11. Suitable species of trees and curtain plants shall be planted and maintained within and along the periphery of the premises, forming a green belt to improve the environment.

5.12. The consentee shall put up a sign board of size 6x4 ft. near the main entrance of the plant to display the name of the unit and important consent conditions.

5.13. Bench cutting method shall be adopted for quarrying.

5.14. Blasting shall be done with prior signals in specified time. No. of blasting shall not exceed 10 nos. at a time.

5.15. Blasting and quarrying shall be done without causing any nuisance or damage to occupants of adjoining or neighbouring land or building or posing damage to health, life or property.

5.16. Mining below normal water table by continuous pumping shall be avoided in summer period (March, April, May) to prevent drinking water shortage in that area.

5.17. Noise creating activities such as drilling, blasting, breaking, loading etc shall not be done during night time (6pm-6am).

5.18. The applicant shall submit copies of all relevant permits/lease/certificate/licences periodically to this office to ensure the validity of this consent.

5.19. The conditions in the Environmental clearance shall be complied.

5.20. All other statutory or necessary clearances from other concerned authorities shall be obtained before commencing any quarrying operations.

5.21. Minimum distance of 50m shall be maintained from boundary of quarrying area to residential building, places of worships, public buildings, public roads, river, lake, railway lines and bridges.

Reference:-

- 1) Mining & Geology letter No.: 4792/M3/2017 DATED:22.05.2017
- 2) Explosive license No: E/SC/KL/22/301(E11744) DATED:23.01.2014
- 3) Environmental Clearance No.: DEIAA/MAL/EC/029/2017 Dated:01.12.2017.

VINAYA K S

Digitally signed by VINAYA K S  
Date: 2017.12.18 16:02:02  
+05'30'

DATE :18/12/2017

SIGNATURE & SEAL OF ISSUING AUTHORITY


ENVIRONMENTAL  
ENGINEER,DO,MALAPPURAM



To

STOCK FILE

1. **This digitally signed document is legally valid as per the Information Technology Act 2000**
2. For verifying this document please go to [krocmmms.nic.in](http://krocmmms.nic.in) and search using date of issue/name of the unit/Application Number in "Consent Granted Applications" link in the home page of the Board's Online Consent Management and Monitoring System.



DISTRICT : MALAPPURAM  
 TALUK : TIRURANGADI  
 VILLAGE : KANNAMANGALAM

FIELD NO: 103/2  
**SURVEY MAP**



**SITE LOCATION PLAN**

**VINAYA K S** Digitally signed by VINAYA K S  
 Date: 2017.12.18 16:02:44  
 +05'30'  
**ENVIRONMENTAL ENGINEER**



NO: 81/342/17  
 To Submit before mining  
 and Geology department

*M. M. D.*  
 28/12/17



BOUNDARY	LATITUDE(N)	LONGITUDE(E)
BP1	11° 6' 1.36"	75° 59' 58.87"
BP2	11° 5' 59.96"	75° 59' 57.84"
BP3	11° 5' 59.41"	75° 59' 57.28"
BP4	11° 5' 59.11"	75° 59' 56.76"
BP5	11° 5' 58.99"	75° 59' 54.86"
BP6	11° 5' 59.23"	75° 59' 54.29"
BP7	11° 5' 59.87"	75° 59' 54.36"
BP8	11° 6' 0.34"	75° 59' 53.21"
BP9	11° 6' 2.22"	75° 59' 53.30"
BP10	11° 6' 2.03"	75° 59' 55.72"
BP11	11° 6' 2.43"	75° 59' 55.83"

LEGEND	
	PROPOSED LEASE AREA INCLUDING BUFFER
	7.5 M BUFFER LINE
	HOUSE / BUILDING
	HIGHEST STRONGER LINE
	PRIVATE ROAD - SERVICE ROAD
	PRIVATE ROAD - SERVICE ROAD
	ROCK MARK

PROPERTY DETAILS			
DOC. NO.	NO.	AREA OF LAND	NAME OF OWNER
1	40014	0.279 HA	DEEPA K. J.
2	2000000	0.279 HA	P. M. SATHIALAVI
3	2000000	0.279 HA	P. M. SATHIALAVI
4	2000000	0.279 HA	P. M. SATHIALAVI
TOTAL AREA		1.116 HA	
MINING AREA		1.116 HA	
ROCK MARK		0.000 HA	
PROPOSED LEASE AREA		1.116 HA	

**ANNEXURE 4**

**PANCHAYATH LICENSE**



ലൈസൻസ് നമ്പർ. 18/2018-19

തീയതി. 03-04-2018

ആനമല

(ഗ്രാമ പഞ്ചായത്തിൽ നിന്നും

1994 ലെ കേരളാ പഞ്ചായത്ത് ഓഫ് ആക്ട് ( 1994 ലെ 13 ) 232, 233, 234, 254 എന്നീ

വകുപ്പുകളും അതേ തുടർനുള്ള ചട്ടങ്ങളും അനുസരിച്ചു നൽകുന്ന

**ഡി & ഒ ലൈസൻസ്**

ലൈസൻസിയുടെ പേരും മേൽവിലാസവും	വി. മൊയ്തീൻ, വി. കെ. ഐ. എം. ബസ്സ് സ്റ്റാന്റ് കൂടൽ, ചാമുൻ വി. ഒ. ആനമല വില്ലേജ്, തിരുവനന്തപുരം	
സ്ഥാപനത്തിന്റെ പേരും സ്ഥലനാമവും	മെറ്റൻ ജാനി - വി. കെ. ഐ. എം	
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	കുറിയൻ വന്നു ചെൽത്ത് സംഭരിച്ചെടുക്കലും വിൽപന നടത്തുന്നതിനും	
കെട്ടിടത്തിന്റെ നമ്പരും വാർഡു നമ്പരും	സർവ്വേ നമ്പർ 103/2, വാർഡ് - IV	
ലൈസൻസ് കാലയളവ്	01-04-2018 മുതൽ 31-03-2019 വരെ	
ഇടപാടുകിയ ലൈസൻസ് ഫീസ്	4000+2000 രൂപ	സെീൽ നമ്പർ 117150110200,61 28/2018
		ലൈസൻസ് അനുവദിക്കുന്നതിനായി ഹാജരാക്കിയ നിരീക്ഷണ പത്രങ്ങളുടെ വിവരങ്ങൾ ( നമ്പർ, തീയതി, കാലയളവ്, നൽകിയ അധികാരസ്ഥാനം)



Secretary  
Kannur District Panchayat  
P.O. Kannamangalam - 676 3

Ph: 0494-2492000

**ANNEXURE 5**  
**AFFIDAVIT FOR EC**  
**CONDITIONS**



കേരളം കേരल KERALA


BW 452719

In Kerala Stamp Paper with Notary Attested (Rs. 200)

**AFFIDAVIT**


I, Mr. V.Moideen, Managing Partner & Authorized signatory of V.K.M Stone Crusher having correspondence office at Cherur(p.o), Kannamangalam, Vengara, Malappuram district, Kerala, do hereby affirm and confirm as follows:-

1. That, my quarry project is situated at survey No 103/2 of Kannamangalam Village, Thirurangadi Taluk, Malappuram District, Kerala, 676508.



*V. Moideen*

നമ്പരം ..... 17560  
 തീയതി ..... 11-10-18  
 വില ..... 100/-  
 അട ..... കടം രശ്മി  
 പാല ..... തിരുരങ്ങാടി  
 പേര് ..... V. നവാദ്കാരി  
 സ്ഥി. നമ്പരം .....  
 മ. ക. ക. രാജാമണി *Radhman*







കേരളം കേരल KERALA

2. That, all the conditions stipulated in the Environment Clearance would be scrupulously followed. PW 452718

DEPONENT

*V. Madam*

Verification:

Verified that my above statements are true to the best of my knowledge and belief and no material has been concealed therein.

NOTARIAL REGISTER  
Vol No. *12* Page No. *60*  
SI No. *1210* Date *11/10/2018*


DEPONENT

*V. Madam*

Place: Malappuram  
Date: *11/10/2018*

*Solemnly affirmed and signed before my desk at Malappuram on 11/10/2018*

നമ്പർ ..... 17559 .....  
തീയതി ..... 11-10-18 .....  
നില ..... 100/6 .....  
അ. .....  
പാ. .....  
ബി. .....  
പി. .....  
എ. .....  
കി. .....  
കി. .....  
കി. .... *Radhima* .....



*Ummerkutti K.*  
Advocate. Roll No: *K/66788*  
&  
Dist. NOTARY, MALAPPURAM  
Govt. of India Reg. No: *6364*  
Malappuram, Kerala



**ANNEXURE 6**

**CORPORATE SOCIAL  
RESPONSIBILITY**

مرکز مدينة مخدوم التعليمي

**MADEENA MAKHDOOM EDUCATIONAL CENTRE-VIRIPPADAM**

P.O. Karumarakkad, Vazhakkad, Malappuram Dt., Kerala  
India - 673 640. Phone : 9544 570 786, 9605 016 786  
e-mail: madeenamaqdoomvpm@gmail.com

ROYAL EDAVANNIPARA 2724978

നമ്പർ.

4150

തീയതി:

27/12

ജനാബ്

V. K. M. Brother

അവർകളിൽ നിന്നും

കിട്ടിയത്

സംഭാവനയായി

നന്ദിപുരവും കിട്ടിയോടിച്ചു.



500/-

സെക്രട്ടറി



**Kerala State Electricity Board  
Officers' Association**

Officers' House, T.C 25/2969, Malloor Road  
Thiruvananthapuram

From

The General Convenor,  
Diary Committee, KSEB Officers' Association,  
Officers' House, Malloor Road, Thiruvananthapuram - 35

Phone : 9447025084 - **Sajeevkumar K.** (General Convenor)  
9447694860 - **Manoj G.** (Chairman)

Email : 2019oadiary@gmail.com

To

The Manager  
V. K. M. Brother, Kannur

Dear Sir,

The Association is bringing out an OFFICERS' DIARY 2019. We have reserved a few pages for advertisements. We request you to co-operate with us by releasing your valuable advertisement in the diary.

**Name Insertion ₹ 2,000/-**

Yours Sincerely

General Convenor

Payment may please be made by Cheque/DD drawn in favour of  
KSEB OFFICERS' ASSOCIATION, Thiruvananthapuram

مرکز دار النجاة الإسلامي للبنات

**MARKAZ DARUNNAJATH BANATH ORPHANAGE & DESTITUTE HOME**

P.O. Chemmalasseri  
Alambara-Paloor, Pulamanthole  
Malappuram Dt., Kerala, India  
Pin: 679 323

No. **4432**

**CASH RECEIPT**

Date

10/12/18

Received with thanks from

V. K. M. Stone

അംഗീകൃതം

1000 രൂപ

₹ 500/2



Phone : 04933 267750 | Mobile : 9745300840  
www.markazwomensorphanage.com | E-mail: markazdarunnajath@gmail.com

Reg.No. 1C52/2003, OCB Reg. No. : 1032/2004  
A/c No. 11722 Federal Bank, Pulamanthole



**ബീരാൻ ഔലിയ മെമ്മോറിയൽ ബാലിക യത്നം അസതി മന്ദിരം**

Reg.No. 2365/16, കല്ലാണകാട്, മണ്ണാർക്കാട് കോളേജ് പി.ഒ, പാലക്കാട് പിൻ 678 583  
Run By: ബീരാൻ ഔലിയ മെമ്മോറിയൽ ചാരിറ്റബിൾ ട്രസ്റ്റ്, Reg. 110/2014  
Mob : 9847503020, Office : 04924-210388, 9605824329



NO.

**1161**

**RECEIPT**

Date 13-12-18

Received with thanks from Janab V. K. M. Stone Crusher

നൂലിലാല മുറിച്ചുകൊടുത്ത തിരുച്ചോൻ ഭൂമി മെമ്മോറിയൽ ബാലിക യത്നം അസതി മന്ദിരം the sum of

Rupees. 500 രൂപ (Five hundred) being Donation

₹ 500

ചെങ്കുളം പ്രാഥമിക വിദ്യാലയം അയക്കേണ്ട വിലാസം  
SB A/c No: CA. : 11642, Pottassery Service Co-operative Bank (H.O.)  
CHAIRMAN, BEERAN OULIYA MEMORIAL CHARITABLE TRUST (BAMCT)  
Pottassery P.O. - 678 598, Mannarkkad, Palakkad, Kerala  
Fakrudeen Kappungal House, Federal Bank Mannarkkad Branch  
A/c No: 14090100108039, IFSC Code : FDRL 0001409

Chairman

**പരിസ്ഥിതി ബോധവൽക്കരണ ചാരിറ്റബിൾ സമിതി**

(Reg. No. R. 378)

**ജില്ലാ കമ്മിറ്റി**

Mob: 9744741414, 9846699883



നമ്പർ : 275

സംഭാവന രശീതി

തീയതി : 13/12/18

ശ്രീ/ശ്രീമതി V. K. M. Stone CRUSHER

പക്കൽ നിന്നും (Five hundred) രൂപ നന്ദിപൂർവ്വം കിട്ടി ബോധിച്ചു.

Rs 500

സെക്രട്ടറി

**സയീദ് അലവിയ സെക്കണ്ടറി സൂന്നി മദ്റസ**

വട്ടപ്പൊന്ത, കണ്ണമംഗലം

നമ്പർ: **3**

തീയതി: **11/11/2018**

നാമ്: **VKM - SAMD** എന്നവരുടെ

ഈ നിന്നും **അലിശ്ശാഹ്** രൂപ

ചുർച്ചം കിട്ടിബോധിച്ചു.

**1000 /**



**ബീരാൻ ഔലിയ മെമ്മോറിയൽ ബാലിക യത്നീംവാൻ അഗതി ദന്ദിരം**

Reg.No. 2365/16, കല്ലാണകാട്, മണ്ണാർക്കാട് കോളേജ് പി.ഒ, പാലക്കാട് പിൻ - 678 583  
Run By: ബീരാൻ ഔലിയ മെമ്മോറിയൽ ചാരിറ്റബിൾ ട്രസ്റ്റ്, Reg. 110/2014  
Mob : 9847503020, Office : 04924-210388, 9605824329



NO. **186**

**RECEIPT**

Date: **14-11-18**

Received with thanks from Janab... **V.K.M. ഇക്ര**  
**ദുഃഖം ചെയ്യാൻ ഉപയോഗിച്ച് സിമന്റിലേക്ക്** the sum of  
Rupees... **അഞ്ഞൂറ് രൂപ** being Donation

**₹ 500 /**

ഉപകരണങ്ങളും (ഡാഫ്റ്റുകളും അയക്കേണ്ട നിലവാരം)  
SB A/c No: CA. : 11642, Pottassery Service Co-operative Bank (H.O.)  
CHAIRMAN, BEERAN OULIYA MEMORIAL CHARITABLE TRUST (BAMCT)  
Pottassery P.O. - 678 598, Mannarkkad, Palakkad, Kerala  
Fakrudeen Kappungal House, Federal Bank Mannarkkad Branch  
A/c No: 14090100108039, IFSC Code : FDRL 0001409

**Chairman**

**ലഭരൻ ഹബീബ്**

**STAR FRIENDS CULTURAL GROUP സംഘടിപ്പിക്കുന്ന**

**14-ാം മിലാദ്ഫെസ്റ്റ്** 2108 ഡിസംബർ 2 ഞായർ ആലിൻചുവട്

No. **4** Date: **25-11-18**

പേര്: **V.K.M. SAMD**

പക്കൽനിന്ന് രൂപ സംഭാവനയായി നന്ദിപുർച്ചം കിട്ടിബോധിച്ചു

**₹ - 500**

**ഒരുക്രട്ടിനി**



**ബീരാൻ ഔലിയ മെമ്മോറിയൽ ബാലിക യതിംഖാന അഗതി മന്ദിരം**

Reg.No. 2365/16, കല്ലാണകാവ്, മണ്ണാർക്കാട് കോളേജ് പി.ഒ, പാലക്കാട് പിൻ - 678 583  
 Run By: ബീരാൻ ഔലിയ മെമ്മോറിയൽ ചാരിറ്റബിൾ ട്രസ്റ്റ്, Reg. 110/2014  
 Mob : 9847503020, Office : 04924-210388, 9605824329



NO. **9275** RECEIPT Date **31/10/2018**

Received with thanks from **Janab. V.K.M. STB40 മുക്രി**

the sum of **Rupees. അഞ്ചുനൂറ് രൂപ** being Donation

₹ **500/-**

SB A/c No: CA. : 11642, Pottassery Service Co-operative Bank (H.O.)  
 CHAIRMAN, BEERAN OULIYA MEMORIAL CHARITABLE TRUST (BAMCT)  
 Pottassery P.O. - 678 598, Mannarkkad, Palakkad, Kerala  
 Fakrudeen Kappungal House, Federal Bank Mannarkkad Branch  
 A/c No: 14090100108039, IFSC Code : FDRL 0001409

*[Signature]*  
Chairman

Where is my Job



**DYFI**  
പാർലമെന്റ് മാർച്ച്

2018 November 3

നമ്പർ **3683** തിയ്യതി: **30/10/18**  
 (ശ്രീ./ശ്രീമതി) **V.K.M. STB40 മുക്രി**

പക്കൽനിന്ന്.....രൂപ  
 സംഭാവനയായി നന്ദിപുരവും കിട്ടിബോധിച്ചു.

₹ **1000/-**

സെക്രട്ടറി  
 DYFI മലപ്പുറം ജില്ലാ കമ്മിറ്റി

NATIONAL PRINTING POINT/MPPA/2733671



بدر الهدى  
**MA-DINUL FUSWAHA SAMAJM**  
**BADRUL HUDA DARS**

MOB: 8606 068 530, 9037 215 564

No.: **055**

Date: **10-11-18**

Received with thanks from **V.K.M. - Grand Stone**

sum of rupees **2000**

₹ **2000**

Signature



# ബീരൻ ഔലിയ മെമ്മോറിയൽ ബാലിക യതിംഖാന അഗതി ദരിദ്ര

Reg.No. 2365/16, കല്യാണകാട്, മണ്ണാർക്കാട് കോളേജ് പി.ഒ, പാലക്കാട് പിൻ 678 583

Run By: ബീരൻ ഔലിയ മെമ്മോറിയൽ ചാരിറ്റബിൾ ട്രസ്റ്റ്, Reg. 110/2014

Mob : 9847503020, Office : 04924-210388, 9605824329



NO. 4085

RECEIPT

Date: 20/10/2018

Received with thanks from Janab. V.K.M. ശ്യാമൻ തിരുവനന്തപുരം the sum of Rupees. അഞ്ചു നൂറ് രൂപ 2000/- being Donation

₹ 500/2

ചെക്കുകളും സ്വാഹിദ്കളും അയക്കേണ്ട വിലാസം: SB A/c No: CA. : 11642, Pottassery Service Co-operative Bank (H.O.) CHAIRMAN, BEERAN OULIYA MEMORIAL CHARITABLE TRUST (BAMCT) Pottassery P.O. - 678 598, Mannarkkad, Palakkad, Kerala

Chairman

## ALL KERALA CRUSHER OWNERS ASSOCIATION

DISTRICT COMMITTEE, Reg. No. ER-13/2000

2nd Floor, Bilal Building, Kizhakkethala, Down Hill, Malappuram - 676 519 Ph: 0483 2734654

### DONATION / MEMBERSHIP

No. 659

2018-19

Date: 25/10/18

Name: V.K.M. Crusher

Address: Ooraku

Wenjan ches committee

Rupees in words: Two Thousand only

₹ 2000

President

Secretary

Treasurer

## مركز مدينة مخدوم التعليمي

### MADEENA MAKHDOOM EDUCATIONAL CENTRE-VIRIPPADAM

P.O. Karumarakkad, Vazhakkad, Malappuram Dt., Kerala India - 673 640. Phone : 9544 570 786, 9605 016 786 e-mail: madeenamaqdoomvpm@gmail.com

നമ്പർ. 497

തീയതി: 25-10-18

ജനാബ് V.K.M. ശ്യാമൻ

അവർകളിൽ നിന്നും

സംഭാവനയായി. അഞ്ചു നൂറ് രൂപ 500/- നന്ദിപുർവ്വം കിട്ടിയിട്ടുണ്ട്.



₹ 500

# Paristhithy Samrakshana Samithy

Vikas Bhavan, Thiruvananthapuram, Reg. No. 2210/2009

State Committee Thiruvananthapuram

509

RECEIPT

No.

Date. 7.10.2018

Received with thanks from Mr./Mrs. V R M.

the sum of Rupees.

One Thousand Only

words.

*[Signature]*

₹ 1000/-

President

Secretary

Mob : 8301864688



കേരള കർഷകത്തൊഴിലാളി ഫെഡറേഷൻ (STU)

16-10-18ലെ കളക്ട്രേറ്റ്

R. No. 12-4/91, മലപ്പുറം ജില്ലാ കമ്മിറ്റി

മാർച്ചും

PMSA സൗധം, പി.ഒ. ഡൗൺഹിൽ, മലപ്പുറം

ഡിസംബറും

380

സംഭാവന രശീതി

തീയതി... 13-10-18

ജനാബ്... V-K-M-Stone-Crusher

പക്കൽനിന്ന്.....

രൂപ സംഭാവനയായി നന്ദിപൂർവ്വം കിട്ടിബോധിച്ചു.

₹ 1500

പ്രസിഡന്റ് സെക്രട്ടറി

A I C T U

## ഓൾ ഇന്ത്യ സെന്റർ ഓഫ് ട്രേഡ് യൂണിയൻസ്

സംസ്ഥാനകമ്മിറ്റി, തിരുവനന്തപുരം - 14

നമ്പർ: 142

തീയതി: 16/10/18

പ്രതി/ശ്രദ്ധി: V.K.M. STONE CRUSHER

എന്നവരുടെ പക്കൽ നിന്ന്..... രൂപ

കിട്ടി ബോധിച്ചു.

₹ 500

ജനറൽ സെക്രട്ടറി



مرکز دار النجاة الإسلامي للبنات  
**MARKAZ DARUNNAJATH BANATH  
 ORPHANAGE & DESTITUTE HOME**

P.O. Chemmalasseri  
 Alambara-Paloor, Pulamanthole  
 Malappuram Dt., Kerala, India  
 Pin: 679 323



**CASH RECEIPT**

No. **4279**

Date **26/09/18**

Received with thanks from

*V.K.M. Sreedhar*  
*anb...*  
*...*

the sum of Rupees  
 being donation

₹ **500/-**



Phone : 04933 267750 | Mobile : 9745300840  
 www.markazwomensorphanage.com | E-mail: markazdarunnajath@gmail.com

Reg.No. 1053/2003, OCB Reg. No. : 1032/2004  
 A/c No. 11722, Federal Bank, Pulamanthole



دار التعليم الاسلامية ميلاطور  
**MIA D'AVA & ORPHANAGE - DESTITUTE HOME**  
 (Regd)

MELATTUR P.O., MALAPPURAM DT., KERALA, PIN-679326

E-mail: miamelattur@gmail.com

PHONE: 04933 277 420, 8848612234, 9656386992

No. **1090**

Date **27/9/18**

RECEIPT

Received with thanks from... *V.K.M.*

*KODAKKAL.*

the sum of

Rupees. *ONE THOUSAND*


as cash/ Cheque/ DD/No.

₹ **1000/-**

Receiver


*[Signature]*  
 Secretary

Print X Offset Koodalady



ആൾ ഇന്ത്യ ഫോർവേഡ് ബ്ലോക്ക്  
 മലപ്പുറം ജില്ല കമ്മിറ്റി

**പ്രവർത്തന ഫണ്ട്**



12

നമ്പർ: *2/10/2018* തീയതി. *2/10/2018*

ശ്രീശ്രീമതി *Rd Vkm Cumber*

പക്കൽ നിന്നും *...* രൂപ

സംഭാവനയായി നന്ദിപൂർവ്വം കിട്ടിയോടിച്ചു.

₹ **500/-** *[Signature]*  
സെക്രട്ടറി



# ബീരാൻ ഔലിയ മെമ്മോറിയൽ ബാലിക യതിംഖാന അഗതി മന്ദിരം

Reg.No. 2365/16, കല്ലാണകാപ്പ്, മണ്ണാർക്കാട് കോളേജ് പി.ഒ, ഫലക്കാട് പിൻ - 678 583

Run By: ബീരാൻ ഔലിയ മെമ്മോറിയൽ ചാരിറ്റബിൾ ട്രസ്റ്റ്, Reg. 110/2014

Mob : 9847503020, Office : 04924-210388, 9605824329



NO. **3944**

RECEIPT

Date: 17-9-18

Received with thanks from Janab... V. K. M. @ Ad

കുടുംബങ്ങൾ ദിയാനത്തിലേക്ക് the sum of

Rupees... (രണ്ടരൂപ) being Donation

ചെക്കുകളും സ്വാഹിറുകളും അയക്കേണ്ട വിലാസം

SB A/c No: CA : 11642, Pottassery Service Co-operative Bank (H.O.)  
CHAIRMAN, BEERAN OULIYA MEMORIAL CHARITABLE TRUST (BAMCT)  
Pottassery P.O. - 678 598, Mannarkkad, Palakkad, Kerala

Fakrudeen Kappungal House, Federal Bank Mannarkkad Branch  
A/c No: 14090100108039, IFSC Code : FDRL 0001409

₹ 500/-

Chairman

## SIRAJUL HUDA BRANCH SUNNI MADRASA

Reg. No. 8226, Pookipparamba - Apla  
Thennala P.O., Malappuram Dist., Kerala, India

No. **1610**

Date: 24.9.2018

Received with thanks from... V. K. M.

the sum of Rupees... രണ്ടരൂപ

₹ 2000



Signature

## ALL KERALA CRUSHER OWNERS ASSOCIATION

DISTRICT COMMITTEE, Reg. No. ER-13/2000

2<sup>nd</sup> Floor, Bilal Building, Kizhakkethala, Down Hill, Malappuram - 676 519 Ph: 0483 2734654

DONATION / MEMBERSHIP

No. **658**

2018-19

Date: 25-0-18

Name: V.K.M. @ crusher (owner)

Address: Oorakkam  
Kongas Ara Coorathen

Rupees in words: Two thousand only

₹ 2000/-

President

Secretary

Treasurer

A  
K  
C  
O  
A

No.

7209

# مدرسة صبحة البنات، پیلیر

روبرو جج کوارٹرس، کاماٹم پالی، پیلیر 517214، ضلع چتور

Cell : 9948174690

9493948466

Ph : 08584-200502

## MADARASA SABHATUL BANATH

Opp. Judge Quarters, Kamatampalli, PILER-517 214, CTR Dt.

زید مجدہم

V.K.M. SOBE MOHIDIN

محترم المقام

تاسیس: Estd : 2010 Regd. 244

28/7/18

التاریخ

Rs. 500

Principal : Hafiz K.S. Syed Mohidin

IFS Code: SBIN0614911  
33159482137



### കാഴിൽ കുട്ടാൽമയുടെ

### ഓണാഘോഷം

ഘോരം, വി.കെ.മാട്-കാപ്പിൽ

ഉത്രാട ദിനത്തിൽ

ഓവിലെ 8 മണി മുതൽ വൈകിട്ട് 5 വരെ

പുക്കളെ മത്സരം, സ്നേഹ സംഗമം, ഓണസദ്യ, കലാ പരിപാടിപാടികൾ



നമ്പർ. 21

തീയതി 05/08/18


ശ്രീ V.K.M. SOBE MOHIDIN

പക്കൽ നിന്ന് രാവിലെ 10.00 മുതൽ 12.00 വരെ

സംഭാവനയായി നന്ദിപുർവ്വം കിട്ടിബോധിച്ചു

₹ 500/-

കൺവീനർ



## കേരള ജനക്ഷേമ സമിതി

26/2082, കൊമ്മാരി പി.ഒ, കോഴിക്കോട്-673007, കേരള

Govt. Reg.No. Act XXI of 1860 S/No. 639/07 Email: keralajanakshemasamithi@gmail.com

നമ്പർ. 577

Mob: 984715522, 9349185522

പ്രവർത്തന ഫണ്ട്

തീയതി 6.8.18

ശ്രീ/ജ V.K.M. SOBE MOHIDIN

അവർകളിൽ നിന്നും

സംഭാവന ഇനത്തിൽ നന്ദിപുർവ്വം കിട്ടിബോധിച്ചു.

₹ 500/-

സംസ്ഥാന പ്രസിഡണ്ട്

No : 300

Date : 22/7/18

Received with thanks from V.K.M. Coaches

sum of rupees THREE THOUSAND SEVENTY FIVE

towards by Cash / Cheque No. :

₹ 3675/-



ഇന്ത്യ സർവകലാശാലയിൽ പൊരുതാം നമ്മുക്കൊന്നായ്

**DYFI കാർഡ്സ് ജാഥ**

2018 ആഗസ്റ്റ് 5 നോമ്പർ | മൊല്ലപ്പടി-കോവിലപ്പാറ

NO: തീയതി 22-7-18

ശ്രീ/ശ്രീമതി V.K.M. Coaches എന്നവരുടെ

പക്കൽനിന്നും സംഭാവനയായി

നന്ദിപൂർവ്വം കിട്ടിബോധിച്ചു. ₹ 500/- സെക്രട്ടറി

**ജി. എൽ. പി. സ്കൂൾ**

വെണ്ണിയൂർ, കപ്രാട്

വെൽഫെയർ ഫണ്ട്

നമ്പർ: 2 തീയതി 30/7/2018

ശ്രീ/ശ്രീമതി: വി. ജെ. ഓ. ക്രൈസ്ത്യാനി

പക്കലിൽ നിന്ന് നിലവിലുള്ള അക്കൗണ്ട്

നന്ദിപൂർവ്വം കിട്ടിബോധിച്ചു.

₹ 4500/-

Prasanth

ഹെഡ്മാസ്റ്റർ / പി. ടി. എ. പ്രസിഡന്റ്

order prints via 9995 282 222

# റസീന സഹായ ഫണ്ട്

കരേക്കാട്, ഫോൺ : 8592960087

105

## സംഭാവന രശീതി

നമ്പർ

തീയതി

12-7-18

ശ്രീ/ജനാബ്

V-K-m-Coodes

പക്കൽനിന്നും ധനസഹായ ഫണ്ടിലേക്ക് സംഭാവന നന്ദിപൂർവ്വം കൈപ്പറ്റിയിരിക്കുന്നു.

₹ 500

ഒപ്പ്

*[Handwritten signature]*

# 2018 ജൂലൈ 9 ദുരദർശൻ മാർച്ച്, ധർണ്ണ 2018 സെപ്റ്റംബർ 5 പാർലമെന്റ് മാർച്ച്

നമ്പർ:

2529

## രശീത്

തീയതി

08/11/18

ശ്രീ / ശ്രീമതി

Vkm. Q221

പക്കൽ നിന്നും

Q221

Rs: 500

രൂപ സംഭാവനയായി കിട്ടിബോധിച്ചു.

സെക്രട്ടറി

*[Handwritten signature]*

മലപ്പുറം ജില്ല കൺസ്ട്രക്ഷൻ വർക്കേഴ്സ് യൂണിയൻ CITU

Secretary / President

*[Handwritten signature]*

2000/-

₹

The sum of Rupees

Two Thousand Rupees Only

Received with thanks from

Mudhayan Haji, M. S. Basha V.K.M. S. S. S. S. S.

Date:

20-7-18

No: 0174

MALLIYIL, CHANGALEERI, MANNARKKAD, PALAKKAD DT. - 678 762, KERALA, INDIA

# MARKAZUL KHARATH ISLAMIC ACADEMY

مركز الخارث الاسلامي



From

VKM Stone Crusher  
CHERUR  
Kannamangalam

Kannamangalam Gramapanchayat 4th ward  
പ്രവർത്തിച്ചു വരുന്ന VKM Quarry 2018-19 വർഷത്തിൽ  
CSR ചെലവഴിക്കുന്നതിനായി (വഹിച്ചി) തൊട്ടേക്കട് വന്നു  
കുറേക്കൂടെ പണം AMUP School ലേക്ക് KL6556226-  
-on നമ്പർ  
School Trip നടത്തി. ചെലവ് വിവര താഴെ  
മുന്നിട്ടുന്നു.

2018-19 അനുബന്ധ വർഷത്തിലേക്ക് ചിലവഴിച്ചത്.

ഒരു വിനത്തിലേക്ക് ചിലവഴിച്ചത് - 3000 Rs.

∴ 2018-19 അനുബന്ധ വർഷത്തിലെ 10 വിനത്തിൽ

$10 \times 3000 = \underline{\underline{Rs 30,000/-}}$

VKM Stone CRACKER  
CHERUR  
Kannamangalam

കുറഞ്ഞവിലയിൽ പണയമാക്കിയിട്ടുള്ള 4% വാർഡിൽ

പ്രവർത്തിച്ചു വരുന്ന VKM Quarry മേട 2018-19

ലെ CSR രേഖയിൽ നിന്നും ഉപയോഗിക്കുന്ന നിരക്ക്

ദാരുണമായി ~~കുറഞ്ഞ~~ കുറഞ്ഞവിലയിൽ - ക്രൈസ്തവീകരണം

നമ്പറിൽ KL 58 C 6753 എന്ന വിവരം

ഉപയോഗിച്ച് നൽകും.

\* ചിലവ് വിലയ്ക്ക് താഴെ ഉണ്ടാകും.

→ November മുതൽ May മാസം വരെ മാത്രം

മാസങ്ങൾക്ക് Rs 14,000 എന്ന നിരക്കിൽ

ഉപയോഗിക്കും.

കുറഞ്ഞവിലയിൽ 7- മാസങ്ങൾക്ക് - 7 x 14,000  
- 98,000

VKM Star CRASHER  
CHERRY  
Kanna margalam

കമ്മ്യൂണിറ്റി പദ്ധതിയിൽ 400 ചാർജിൻ

പ്രവർത്തിച്ച് രാജ്യം VKM Quarey ഉടെ

2018-19 ലെ CSR ഫണ്ട് പ്രവർത്തിക്കുന്നതിനായി

ദിനദിനം ചേർന്നു - കെ.എ.പി.സി. ഓഫീസ്

കമ്മ്യൂണിറ്റി ക്ലബ്ബിൽ KLD 8033

പരിപാടി

പ്രവർത്തിച്ചു നന്നായി.

→ ഉണ്ട് വിവരം താഴെ ചേർക്കുന്നു.

→ November മുതൽ May വരെ മാത്രം

ചെലവഴിക്കാൻ Rs 13200 മാസം തിരക്കിൽ

പ്രവർത്തിച്ചു.

കമ്മ്യൂണിറ്റി - 7 - ചെലവഴിക്കാൻ -  $7 \times 13200$

= 92400.



VKM STORE CRUSHER  
CHERUR  
Kannamondam

കമ്മ്യൂണിറ്റി പങ്കാളിത്തത്തിൽ 400 വാർഡിൽ

പ്രവർത്തിച്ചു വരുന്ന VKM Quarry ഉടമ 2018-19  
വാർഷിക CSR പദ്ധതിയിൽ നിന്നും തിരഞ്ഞെടുത്ത  
തൊഴിലാളി ക്ഷേമ പദ്ധതിയിൽ നിന്നും  
രൂ. 65,000  
പ്രവർത്തിച്ചു.

From

VKM Stone Crusher  
CHEROOR (PO)  
Kannanangalam

കമ്മ്യൂണിറ്റി സംരംഭകൻ 400 വർഷം

പ്രവർത്തിച്ചു വരുന്ന VKM Quarry മൂലം

2018-19 വർഷത്തിലെ CSR രേഖകൾ ഉപയോഗിച്ച്

ഭാഗ്യമായി ട്രസ്റ്റ് വിജ്ഞാപനം ഉണ്ടാകും.

മൊത്തം Rs 35,000 ഉപയോഗിച്ചു.

From

VKM Stone CRUSHER  
CHERUR  
Kannanngalam

കമ്മ്യൂണിറ്റി സംവിധാനത്തിൽ 4% ചിരഞ്ചിത  
പദ്ധതിയിൽ പരമ VKM Quarry, 2018-19  
വർഷത്തെ CSR രണ്ട് ചെലവഴിക്കുന്നതിൽ  
ദാദി സംവിധാനത്തിൽ മുഖ്യധാരയിൽ  
(കമ്മ്യൂണിറ്റി സംവിധാനം) Rs 60,000  
ചെലവഴിക്കും.



भारतीय स्टेट बैंक  
State Bank of India

(70344)-TIRURANGADI  
P.B. NO. 4  
RAHIM BUILDINGS, THIRURANGADI P.O. 676306  
Tel : 494 2460480 Fax : IFS Code : SBIN0070344 SWIFT :

वैधता की तिथि / VALID FOR 3 MONTHS ONLY  
28 08 2018  
D D M M Y Y Y

PAY CHIEF MINISTER CMDRF THIRUVANANTHAPURAM को या उनके आदेश पर OR ORDER  
रुपये RUPEES F.F + y thousand only

बैंक अ/c No.  
57031216740

VALID UPTO ₹ 50 LACS AT NON-HOME BRANCH

अदा करें ₹ 50,000.00

CURRENT A/C  
PREFIX :  
1515900001

MULTI-CITY CHEQUE Payable at Par at All Branches of SBI

VKM STONE CRUSHER MANAGING PARTNER

*V. Manoj Kumar*  
Please Sign Here

॥ 693458 ॥ 6760029271: 000281 ॥ 29